



MATERIAL SAFETY DATA SHEET

Section 1: IDENTIFICATION

NEW GRAFFITI REMOVER

Recommended Use: Paint and ink remover for hard surfaces.
Product Code: 835



MASTER AUSTRALIA PTY LTD (A.B.N. 66 092 483 880)
Postal Address: 45 Marrickville Rd, Marrickville, NSW 2204
Telephone Number: (02) 9550 5800 Facsimile: (02) 9550 5876
Emergency Telephone Number: Poisons Information Centre (National) 13 11 26

Section 2: HAZARDS IDENTIFICATION

Classified as hazardous by the criteria of NOHSC.
Irritant.

- R36/38: Irritating to eyes and skin.
R43: May cause sensitisation by skin contact.
S24: Avoid contact with skin.
S37: Wear suitable gloves.
S41: In case of fire and / or explosion do not breathe fumes.
S60: This material and its container must be disposed of as hazardous waste.
S61: Avoid release to the environment.

Section 3: COMPOSITION INFORMATION

<u>Ingredient</u>	<u>CAS No</u>	<u>Proportion</u>
N-methylpyrrolidone	872-50-4	30-60%
Non-hazardous ingredients	-----	To 100%
D-limonene	5989-27-5	10-30%

Section 4: FIRST AID MEASURES

- Eye (Contact) Hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre, or for at least 15 minutes.
- Skin (Contact) Remove contaminated clothing and flush skin and hair with running water.
- Inhalation(Breathing) Apply artificial respiration if not breathing.
- Ingestion (Swallowing) Do NOT induce vomiting. For advice, contact a Poisons Information Centre (Phone 131126) or a doctor.

Advice to Doctor Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media	Use dry chemical powder, foam, polymer foam, water spray or fog type extinguishers.
Hazards from combustion products	May emit toxic and/or irritating fumes including carbon monoxide and carbon dioxide.
Precautions for fire fighters and special protective equipment	Fire fighters should wear self contained breathing apparatus (SCBA) and complete protective clothing.
Additional information	Hazchem – 3[Y]. When heated above flash point, releases flammable vapours. Liquid can float on water and may possibly travel to distant locations and/or spread fire. Vapour is heavier than air and may spread along ground and collect in low areas.

Section 6: ACCIDENTAL RELEASE MEASURES

Emergency procedures	SAA/SNZ HB76: Dangerous Goods – Initial Emergency Response Guide – Guide 14.
Methods and materials for containment and clean up	Eliminate all ignition sources and do not smoke. Wear protective equipment such as protective gloves to avoid skin contact. Ventilate area thoroughly and wear a respirator if necessary to minimise inhalation. Small spills can be wiped up. Large spills should be absorbed by dirt, sand or other suitable absorbents for disposal. Do not hose spills down drains, sewers or waterways.

Section 7: HANDLING AND STORAGE

Precautions for safe handling	Any non-intended or non-authorised use of this product may result in severe personal injury or damage to equipment. Store product in original container. Wash hands and face thoroughly after handling and before work breaks, eating, drinking, smoking and using toilet facilities.
Conditions for safe storage, including any incompatibilities	Store in a cool, dry, well ventilated area away from incompatible materials. Keep container tightly sealed. Check regularly for spills and leaks. Protect against physical damage.

Section 8: EXPOSURE CONTROL/PERSONAL PROTECTION

National Exposure Standards - Source: National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003].

<u>Ingredient</u>	<u>CAS No</u>	<u>TWA</u>	<u>STEL</u>
N-methylpyrrolidone	872-50-4	25ppm 103mg/m ³	75ppm 309mg/m ³

Biological limit values	Not available.
Engineering controls	Ensure adequate ventilation to keep airborne concentrations below exposure standards.

Personal protective equipment

Eye/face protection – Safety glasses or chemical resistant goggles should be worn to prevent eye contact.

Skin protection – Use impervious gloves, overalls, apron and chemical resistant shoes to prevent skin contact.

Respiratory protection – Respirator is not usually necessary but if product is being used in a confined area or where vapour/mist is a problem, use a respirator with organic vapour filter.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear yellow/orange liquid	Boiling Point:	Greater than 100°C
Odour:	Solvent	Freezing Point:	Less than 0°C
pH:	Not available	Solubility:	Insoluble in water
Vapour Pressure:	Not available	Specific Gravity:	0.975
Vapour Density:	Not available	Flammable information:	Flash Point Not available. Method: Not available. Upper and Lower Flammability limits (in air) Not Available. Ignition Temperature Not Available.

Section 10: STABILITY AND REACTIVITY

Chemical stability	Stable under normal ambient storage conditions. May oxidise over time, in heat or direct sunlight.
Conditions to avoid	Avoid exposure to sources of ignition or open flame. Avoid using in confined space or generating mists or vapours.
Incompatible materials	Incompatible with strong oxidizing agents and acidic agents, including acidic clays, peroxides, halogens, vinyl chloride and iodine pentafluoride. Slightly corrosive to aluminium and copper. May attack some forms of plastics, rubber and coatings.
Hazardous decomposition products	Not known.
Hazardous reactions	Not known.

Section 11: TOXICOLOGICAL INFORMATION

HEALTH EFFECTS**Acute**

Swallowed Considered an unlikely route of entry in commercial / industrial environments. May cause tissue irritation or damage in the mouth, throat and stomach. Aspiration may cause lung damage.

Eye Liquid and vapour may cause irritation.

Skin Skin irritant. Can be absorbed through skin.

Inhaled Vapour or mists may be irritating to respiratory system. Readily absorbed through inhalation. Strong odour causes discomfort to some people.

Chronic

Swallowed May cause liver and kidney damage.
Eye No effects known.
Skin Oxidised limonene may cause sensitization.
Inhalation No effects known.

TOXICITY DATA

D-limonene	LD ₅₀ 4400mg/kg (oral, rat)	RTECS GW6360000
N-methylpyrrolidone	LD ₅₀ 3914mg/kg (oral, rat)	RTECS UY5790000

Section 12: ECOLOGICAL INFORMATION

Not expected to be ecotoxic.
Biodegradability data not yet available.

Section 13: DISPOSAL CONSIDERATIONS

Refer to state/Territory Land Waste Management Authority. Dispose of material through a licensed waste contractor. Normally suitable for incineration by approved agent.

Section 14: TRANSPORT INFORMATION

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code).

UN Number	1993
UN Proper Shipping Name	FLAMMABLE LIQUID, N.O.S.
Class and subsidiary risk	3 – Flammable
Packing Group	II
Special precautions for user	Not applicable
Hazchem Code	3[Y]E

Section 15: REGULATORY INFORMATION

Poisons Schedule (SUSDP): Schedule 5 – CAUTION.

All ingredients are listed on the Australian Inventory of Chemical Substances (AICS).

Section 16: OTHER INFORMATION

Prepared by:	K. Duncum	Position:	Regulatory Compliance Technician
Date	8 December 2005		

© This document remains property of *Master Australia Pty Ltd.*
Alterations are not permitted without prior written authorisation
from *Master Australia Pty Ltd.*