



MATERIAL SAFETY DATA SHEET

Section 1: IDENTIFICATION

QUICKCLEAN 80+

Recommended Use: A powerful heavy-duty acid based tile and hard surface cleaner.

Product Code: 803



MASTER AUSTRALIA PTY LTD (A.B.N. 45 142 705 762)
Postal Address: 45 Marrickville Rd, Marrickville, NSW 2204
Telephone Number: (02) 9550 5800 Facsimile: (02) 9550 5876
Emergency Telephone Number: Poisons Information Centre (National) 13 11 26

Section 2: HAZARDS IDENTIFICATION

Classified as hazardous by the criteria of Safe Work Australia.

Irritant.

R36/38: Irritating to eyes and skin.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label whenever possible.)

Section 3: COMPOSITION INFORMATION

<u>Ingredient</u>	<u>CAS No</u>	<u>Proportion</u>
Non-hazardous ingredients	-----	To 100%
Phosphoric Acid	7664-38-2	10-30%

Section 4: FIRST AID MEASURES

Eye (Contact)	Hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre, or for at least 15 minutes.
Skin (Contact)	Remove contaminated clothing and flush skin and hair with running water.
Inhalation(Breathing)	Apply artificial respiration if not breathing.
Ingestion (Swallowing)	Do NOT induce vomiting. For advice, contact a Poisons Information Centre (Phone 131126) or a doctor.
Advice to Doctor	Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media	Use water fog. Use media / equipment appropriate to surrounding fire conditions.
Hazards from combustion products	Not available.
Precautions for fire fighters and special protective equipment	Fire fighters must wear full protective clothing including self contained breathing apparatus and chemical splash suit. Ensure that no spillage enters drains or water courses. Remove from the vicinity containers not involved in the fire.
Additional information	Hazchem Code – 2X

Section 6: ACCIDENTAL RELEASE MEASURES

Emergency procedures	SAA/SNZ HB76: Dangerous Goods – Initial Emergency Response Guide – Guide 37.
Methods and materials for containment and clean up	Clear area of all unprotected personnel. Wear full protective equipment to prevent skin and eye contact. Ventilate area of leak or spill. Stop spill at source. Collect in an appropriate container or absorb with an inert material (e.g. vermiculite, dry sand, earth), and place in a chemical waste container. Do not use combustible products like saw dust.

Section 7: HANDLING AND STORAGE

Precautions for safe handling	Any non-intended or non-authorised use of this product may result in personal injuries or damage to equipment. Store product in original container. Wash hands and face thoroughly after handling and before work breaks, eating, drinking, smoking and using toilet facilities.
Conditions for safe storage, including any incompatibilities	Store in a cool, dry, well ventilated area away from incompatible materials. Keep container tightly sealed. Check regularly for spills and leaks. Protect against physical damage.

Section 8: EXPOSURE CONTROL/PERSONAL PROTECTION

National Exposure Standards - Source: National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003].

<u>Ingredient</u>	<u>CAS No</u>	<u>TWA</u>	<u>STEL</u>
Phosphoric Acid	7664-38-2	1mg/m ³	3mg/m ³

Biological limit values	Not available.
Engineering controls	Ensure adequate ventilation to keep airborne concentrations below exposure standards.

Personal protective equipment

Eye/face protection – Safety glasses or chemical resistant goggles should be worn to prevent eye contact.

Skin protection – Use impervious gloves, overalls, apron and chemical resistant shoes to prevent skin contact.

Respiratory protection – Respirator is not usually necessary but if product is being used in a confined area or where vapour/mist is a problem, use a respirator with inorganic vapour filter.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear blue, thin liquid	Boiling Point:	Approximately 100°C
Odour:	Characteristic	Freezing Point:	Approximately 0°C
pH:	<2	Solubility:	Soluble in water.
Vapour Pressure:	Not applicable	Specific Gravity:	1.1 – 1.2
Vapour Density:	Not applicable	Flammable information:	Not applicable

Section 10: STABILITY AND REACTIVITY

Chemical stability	Stable under normal ambient storage conditions.
Conditions to avoid	Avoid high temperatures (store below 30°C). Protect against physical damage.
Incompatible materials	Incompatible with oxidising agents, reactive metals, zinc and bare steel, strong reducing agents, fluorine, strong bases, and sources of ignition.
Hazardous decomposition products	None known.
Hazardous reactions	None known.

Section 11: TOXICOLOGICAL INFORMATION

HEALTH EFFECTS**Acute**

Swallowed Considered an unlikely route of entry in commercial / industrial environments. Corrosive to mucous membranes and may cause damage to oesophagus and stomach. Abdominal pain, nausea, vomiting, general gastrointestinal upset can be expected.

Eye Highly corrosive to eyes. Contamination of eyes can result in injury to the cornea which can result in permanent injury and possible loss of eye sight. Can also cause tearing, redness and pain.

Skin Contact dermatitis may result from working with this material. Highly corrosive to skin. Produces burns, deep ulceration and gelatinous necrotic areas at the site of contact. Skin contact can result in little pain, thus care should be taken to avoid contamination of gloves and boots.

Inhaled Inhalation of mist or aerosols will result in respiratory irritation and possible harmful corrosive effects including lesions of nose, throat and respiratory tract.

Chronic

Swallowed No effects known.

Eye No effects known.

Skin No effects known.

Inhalation No effects known.

TOXICITY DATA

Phosphoric Acid

LD₅₀ 1530mg/kg (oral, rat)

RTECS TB6300000

Section 12: ECOLOGICAL INFORMATION

Not expected to be ecotoxic.
Biodegradability data not yet available.

Section 13: DISPOSAL CONSIDERATIONS

Refer to state/Territory Land Waste Management Authority. Dispose of material through a licensed waste contractor. Normally suitable for incineration by approved agent.

Section 14: TRANSPORT INFORMATION

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code).

UN Number	1760
UN Proper Shipping Name	CORROSIVE LIQUID, N.O.S.
Class and subsidiary risk	8 – Corrosive
Packing Group	II
Special precautions for user	Not applicable
Hazchem Code	2X

Section 15: REGULATORY INFORMATION

Poisons Schedule (SUSDP): Schedule 5 – CAUTION.

SAFETY: Avoid contact with skin and eyes.

All ingredients are listed on the Australian Inventory of Chemical Substances (AICS).

Section 16: OTHER INFORMATION

Issue Date: 19th April, 2010

© This document remains property of *Master Australia Pty Ltd.*
Alterations are not permitted without prior written authorisation
from *Master Australia Pty Ltd.*